

select

# Meet Select

Meet the Select Series, a series that includes PDUs and UPSs; two critical components of a robust AV power system. Confidently specify our Select Series PDUs knowing they are reliable products that will provide power to your system and prevent power surges from harming your equipment with our MOV surge protection. We've been powering the AV industry for over 20 years and know the quality of our power products. What power you are plugging into your system should be the least of your worries, so simply plug your AV equipment into a Middle Atlantic Select PDU or UPS and focus on building the best AV system yet.



## OUR PRODUCTS

Rackmount PDUs – Reliable with basic surge protection .....	4
Multi-Mount PDUs – Place the PDU exactly where it's needed with flexible mounting brackets .....	5
PDT Low Profile Vertical Power Strip – Spaced out(lets) to put power in reach of every device in the rack .....	6
PD Slim High Density Vertical Power Strip – Bringing outlets closer together to power a packed rack.....	8
Uninterruptible Power Supply – Keep your equipment powered when facing power outages and anomalies .....	9
PDUs with RackLink – Remotely control your power from anywhere with intelligence.....	10
DC Power Distribution – Cut the cord and optimize installations with varying voltages.....	13

## Select Series Rackmount PDUs

Power your rack with the power distribution units designed specifically for AV applications. From just one rackmount PDU you can protect all your devices from surges and provide EMI filtering.

### Features & Benefits

- Rear distribution outlets keep the rack organized and cables easy to manage
- Do not struggle to reach the plug. The extended chassis depth makes it easy to plug in equipment, making integration a breeze
- SignalSAFE™ power cord minimizes potential interference from AC magnetic fields
- Choose to have control from the front of the rack with a front facing switch or a simple light indicator
- Choose a front convenience outlet if needed



PD-915R



PD-915RC-20



PD-915R-PL



PD-815R-PL

SKU	OUTLETS	AMPERAGE	SURGE PROTECTION	CORD LENGTH
PD-915R	9	15A	Basic	9ft
PD-915RC-20	9	15A	Basic	20ft
PD-915R-PL	9	15A	Basic	9ft
PD-815R-PL	8	15A	Basic	9ft

select  
your products

## Select Series Multi-Mount PDUs

Mount it here, mount it there, mount it everywhere! The Multi-Mount series gives you the flexibility to place outlets right where they are needed.

### Features & Benefits

- Reversible, adjustable mounting ears support many mounting methods for ultimate flexibility
- Outlets with varied orientations to accommodate many plug styles
- A space saving shallow chassis
- 9' SignalSAFE™ power cord minimizes potential interference from AC magnetic fields



PD-1815R-RN



PD-1820R-RN



PD-2015R-NS



PD-2020R-NS



PD-2015R-HH-NS

SKU	OUTLETS	AMPERAGE	SURGE
PD-1815R-RN	18	15A	2-Stage
PD-1820R-RN	18	20A	2-Stage
PD-2015R-NS	20	15A	None
PD-2020R-NS	20	20A	None
PD-2015R-HH-NS	20	15A	None

select  
your products

## Select Series PDT Low Profile Vertical Power Strip

Get more outlets without giving up rack space. With a thin chassis, the Select Series PDT Low Profile Vertical Power Strip mounts unobtrusively in the back of the rack while still placing outlets right next to the equipment it needs to power. And we will let you in on a secret—the PDTs mount to every style of Middle Atlantic rack rail brackets. A no brainer for your AV system!


### Features & Benefits

- Thin design takes up minimal space inside racks while still allowing each piece of vital equipment to receive the power it needs
- Mounting hardware is included and takes no time to snap the PDU on to the rack rail brackets (plus the clip are reusable!)
- The choice is yours: Available with basic surge, two stage surge with remote notification, no surge, and metering. Models also come in hardwired or corded.
- Corded models use a SignalSAFE™ wire to minimize potential interference from AC magnetic fields from other equipment in the rack
- PDTs are available with TwistLock Plugs. Secure your power cords in place and never fear them getting unplugged accidentally
- The PDT is available in a dual circuit model

### PDT VERTICAL WITH DUAL CIRCUIT

SKU	OUTLETS	AMPERAGE	J BOX LOCATION
PDT-2X320	6	20A	Bottom
PDT-2X520	10	20A	Bottom
PDT-2X615S	12	15A	Bottom
PDT-2X815	16	15A	Bottom
PDT-2X820	16	20A	Bottom
PDT-2X1015	20	15A	Bottom
PDT-2X1020	20	20A	Bottom
PDT-2X1020T	20	20A	Top

select  
your products



### PDT LOW PROFILE VERTICAL POWER STRIP


SKU	OUTLETS	AMPERAGE	SURGE	METERED
PDT-615C	6	15A	Basic	No
PDT-615C-NS	6	15A	None	No
PDT-620C-NS	6	20A	None	No
PDT-1015C-NS	10	15A	None	No
PDT-1015C-RN	10	15A	2-Stage	No
PDT-1020C-NS	10	20A	None	No
PDT-1220C-NS	12	20A	None	No
PDT-1415C	14	15A	Basic	No
PDT-1415C-NS	16	15A	None	No
PDT-1615C-NS	16	15A	None	No
PDT-1620C-NS	16	20A	None	No
PDT-2015C-NS	20	15A	None	No
PDT-2015C-RN	20	15A	2-Stage	No
PDT-2020C-NS	20	20A	None	No
PDT-2020C-RN	20	20A	2-Stage	No
PDT-1015C-M-NS	10	15A	None	Yes
PDT-2015C-M-NS	20	15A	None	Yes
PDT-2020C-M-NS	20	20A	None	Yes

### PDT VERTICAL WITH TWISTLOCK PLUG

SKU	OUTLETS	AMPERAGE	METERED
PDT-2020TL-NS	18	15A	No
PDT-2020TL-M-NS	20	20A	Yes

select  
your products

select  
your products



## Select Series PD Slim High Density Vertical Power Strip

The Select Series High Density Vertical Power Strips are a great solution to a rack full of power hungry equipment. It mounts vertically and unobtrusively in the back of your rack with a high density of outlets to ensure every piece of equipment gets the power it needs. Finding space for power in your rack should be the least of your worries.

### Features & Benefits


- Leave no device unpowered. The high density of outlets in each strip supports demanding installations
- Lightweight, slim design gives you as many outlets as possible while taking up as little vertical space as possible
- Mounting hardware is included for fast and easy installation
- Choose from basic surge protection or none
- Attached SignalSAFE™ power cord minimizes potential interference from AC magnetic fields



PD-715SC-NS



PD-815SC



PD-2420SC-NS

select  
your products

SKU	OUTLETS	AMPERAGE	SURGE PROTECTION	CORD LENGTH
PD-715SC-NS	7	15A	None	10ft
PD-815SC	8	15A	Basic	10ft
PD-815SC-20	8	15A	Basic	20ft
PD-815SC-NS	8	15A	None	10ft
PD-2415SC	24	15A	Basic	10ft
PD-2415SC-NS	24	15A	None	10ft
PD-2420SC-NS	24	20A	None	10ft

## Select Series UPS

Select Series UPS Backup Systems are a competitively priced option for ensuring uptime of equipment in the event of a power outage or power anomaly. Select UPSs are designed for both AV and Security applications. Plug it in, feel confident, and simply focus on creating an amazing AV experience.

### Features & Benefits

- With four models available, you'll be able to find the perfect backup for your AV system
  - 1 RU models ideal for one-person installation and saving space
  - 2 RU models are robust enough to back up a more intense AV set-up.
- Select UPSs use a simulated sine wave, keeping the cost of the product down, while keeping your equipment protected and powered
- In just 8ms of a power outage or anomaly, the UPS will transfer equipment to battery power
- Protects equipment from damaging over and under voltage
- Separate critical and non-critical outlet banks. Should an extended power outage occur, the UPS will cease powering the non-critical equipment via load shedding
- Each UPS comes with basic surge protection and EMI filtering
- An LED status indicator on the front of the UPS alerts you to a loss in power, low battery level, or of battery overload.
- Hot swappable battery pack can be easily replaced via the front panel for easy service without disrupting the system
- With an optional IP card, you can remotely monitor the uptime of your equipment and control your UPS

SKU	VA	RACK UNITS
UPS-S500R	500VA	1
UPS-S1000R	1000VA	1
UPS-S1500R	1500VA	2
UPS-S2200R	2000VA	2

select  
your products



UPS-S500R



UPS-S1500R

## Select Series PDUs with RackLink™

Monitor your power anytime, anywhere, and even automatically. Select Series PDUs with RackLink™ creates a simple and cost-effective solution that puts intelligent control of power distribution at your fingertips, wherever you are. The applications are endless— RackLink™ allows you to manage everything from a network of digital signage installs, to a building full of conference rooms, to an entire campus of classrooms—all from your device.

### Features & Benefits

- Easy set-up of the RackLink™ user interface will enable individual IP outlet control for up to 8 outlets
- Using the RackLink™ Discovery app on iPhone or Android, quickly connect RackLink™ enabled PDUs and monitor the system, anywhere, anytime
- Utilize remote sequencing with user selectable delays for an optimal start-up or shut down progression
- Comes with basic surge to protect your devices from harmful power anomalies
- Improve system reliability by automating actions such as multiple IP AutoPing and recovery
- Receive automatic notifications of connection status
- Seamlessly interfaces with 3rd party AV control systems and cloud platforms for scheduling, control, reporting and even customization

SKU	OUTLETS / CONTROLLED	AMPERAGE
RLNK-215	2 / 2	15A
RLNK-415R	4 / 4	15A
RLNK-420R	4 / 4	20A
RLNK-915R	9 / 8	15A
RLNK-920R	9 / 8	20A
RLNK-1015V	10 / 4	15A
RLNK-1615V	16 / 8	15A

select  
your products



RLNK-215  
RLNK-415R  
RLNK-915R



## Select Series PDUs with RackLink™

Power your AV installations around the world with RackLink. Select Series with RackLink has CE rated models available, so you can have the RackLink you know and trust for your international deployments. These PDUs still have all of the benefits that come standard with RackLink. Manage the start-up or shutdown of your equipment, automate actions such as Autoping and recovery, individually control outlets, and more, all from the RackLink interface. We are making it easy to standardize the power you use in every installation, ensuring the same, simple experience for your customers anywhere they are.



RLNK-210-IEC-NS



RLNK-410R-IEC-NS



RLNK-910R-IEC-NS

SKU	OUTLETS / CONTROLLED	AMPERAGE
RLNK-210-IEC-NS	2 / 2	10A
RLNK-410R-IEC-NS	4 / 4	10A
RLNK-910R-IEC-NS	9 / 8	10A

select  
your products

## The RackLink™ User Interface

The RackLink interface is your home base for managing every PDU on your network. Here you can check the status of your system down to each individual outlet. From the home screen you can power cycle outlets, check surge protection status, automate actions to keep your equipment up and running, and more. The setup is intuitive so you can begin optimizing your AV installations as soon as the equipment is plugged in. Spend less time troubleshooting and more time doing what matters – designing incredible AV spaces.

For a live demo of RackLink, visit our website: See [RackLink™ in Action](#)



## Select Series DC Power Distribution

Clean up your rack by replacing messy, space consuming wall warts and power strips with the Select Series DC Power Distribution designed for AV, security, and networking applications. The DC Power Distribution allow you to optimize installations that involve a multitude of devices in varying voltages. The PDUs provide high current capacity to an extensive number of outputs, maximizing the same voltage in a single unit or splitting between the most popular voltages. Additionally, with flexible mounting options, you can bring DC Power to a typical rack unit, small enclosure, or wall box.

### Features & Benefits

- Providing you with an industry-leading number of outputs - power as many as 24 devices
- Keep the power flowing with a maximum current capacity of up to 300W of power and a multitude of voltage options
- Protect your equipment with basic surge protection and overload protection on the AC input. Additionally, individual redundancy is built in with auto-resetting PTC overload protection on each individual output
- The reversible, adjustable mounting ears support many mounting methods
- Color-coded screw terminal connectors with industry standard voltages and polarity labeling are included for easy identification
- LED indicator lights show activity on each output and alert you to maximum capacity on each voltage bank
- Trim your power cords to a suitable length and leave less cable to manage, enhancing aesthetics and increasing airflow
- Ultra-quiet, thermostatic temperature-controlled fan has automatic speed adjustment to keep your PDU from overheating
- A 6ft IEC power cord is included with each PDU

SKU	WATTS	VOLTS	OUTPUTS	AMPERAGE
PD-DC-45	45W	5V, 12V	12	12A
PD-DC-125R	125W	5V, 12V, 18V, 24V	24	5A
PD-DC-200-5V	200W	5V	24	40A
PD-DC-300-12V	300W	12V	24	25A
PD-DC-300-24V	300W	24V	24	12.5A
PD-DC-300-12-24V	300W	12V, 24V	24	12.5A and 6.25A



For even more power products designed for AV, check out our **NEXSYS™** series.

**MIDDLE  
ATLANTIC**  
A brand of  **legrand**

LEGRAND | AV COMMERCIAL BRANDS  
C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

---

WHAT GREAT SYSTEMS ARE BUILT ON™ | [legrandav.com](https://legrandav.com)

USA 800.266.7225 [av.middleatlantic.support@legrand.com](mailto:av.middleatlantic.support@legrand.com) CANADA 888.766.9770 [av.middleatlantic.support@legrand.com](mailto:av.middleatlantic.support@legrand.com)

©2023 Legrand AV Inc. 230451 Rev A 7/23 Middle Atlantic is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.